

Code	Type			Material		Rubber Hardness	Surface Treatment
				Main Body	Metal Fitting		
NHF19	Tapped, Plate Type	Economic Type	Waist Type	Natural Rubber	S45C	Shore A60	Zinc-plated


- ① Small amount of rubber residue during processing, it does not affect product performance.
 ② Product contains anti-aging additives, the surface of the product will continue to slowly precipitate white wax, which is normal and does not affect product performance.






Inventory

Before and after white wax is precipitate

Before



After



The first perspective

Part Number		M	D ₁	D ₂	H ₁	H ₂	t	t ₁	L ₂ (min)	W ₁	W ₂	E	F	P	Z Direction			X Direction	Rigidity Ratio kx/kz		
Code	No.														Allowable Load N (kgf)	Working Load N (kgf)	Spring Constant N/mm (kgf/cm)	Allowable Load N (kgf)			
NHF19	2015	6	20	15	15	10.5	2.5	2.0	6	49	20	8.5	6.5	36	280{29}	98~160{10~16}	180{180}	69{7}	0.18		
	2020				20	15.5									180{18}	59~98{6~10}	80{90}	49{5}	0.22		
	2518		25	20	18	12	3.5	2.5		8	56			25	42	580{59}	147~280{15~29}	220{220}	98{10}	0.19	
	2527				27	21										310{32}	88~160{9~16}	110{110}	59{6}	0.22	
	3018	8	30	25	18	12			62		30			48	1700{170}	415~830{43~85}	610{620}	250{25}	0.15		
	3026				26	20									760{77}	196~370{20~38}	180{180}	150{15}	0.22		
	3526		35	30	26	20				69				35	53	1100{110}	275~550{28~56}	250{260}	260{27}	0.24	
	4025															40	34	25	19	76	40



Please order as shown

Part Number		M
Code	No.	
NHF19	2015	6
	2020	

NHF19—2015—M6



Discount price	
Per	1~9 10~
Price	100% Additional quotation



Delivery	
	20