## Standard Type Split Type

Code	Туре		Material		Surface Treatment	Accessories	
Code			GB	Equiv.	Surface freatment	Accessories	
FAP01			45	S45C	Black Oxide	Hex Socket Head Cap Screw 2 pcs.	
FAP02			45	3450	Fine Sandblasting Electroless Nickeling		
FAP06	Split	Standard	0Cr18Ni9	SUS304		Hex Socket Head Cap Screw 2 pcs.	
FAP21	Туре	Standard				(Stainless Steel)	
FAP22			LY11	A2017	Fine sandblasting Natural Color Anodizing		
FAP23					Black Anodize	Hex Socket Head Cap Screw 2 pcs.	


Shaft Collars




 If there is requirement of rust prevention, please choose stainless steel materials or electroless nickel-plated products firstly.
Due to the different production batches of products, nickel plated products may have fine sand blasting, which does not affect the size and function. 1 Due to different production batches, the fine sandblasted anodized products may not be sandblasted when shipped, which does not affect the size and

function. Preventing the customer complaints.

Due to different production batches, the fine sandblasted electroless nickeled products may not be sandblasted when shipped, which does not affect the size and function.
Due to production process reasons, there will be a threaded fastening hole at the end of the threaded hole of the stainless steel fixing collar body, which does not affect the size and function.





6.3

The first perspective

Part N	umber	_								0
Code	D	В	н	M	d	R	W	Х	Y	С
		8		M3	3.4	3				
	6	10	20	M4	4.5	3.75	1 🛞	6	4	
		8		M3	3.4	3	- 22			
		10	25	M4	4.5	3.75	12	8		
	8	12		M5	5.5	4.5				
		15		M6	6.6	6			5	
		8	30	M3	3.4	3		9	5	
		10		M4	4.5	3.75				
	10	12	-	M5	5.5	4.5				
		15	35	M6	6.6	6			6	
		8	35	M3	3.4	3		10	0	
								10	~	
	12	10	30	M4	4.5	3.75			5	
		12	0.5	M5	5.5	4.5				
		15	35	M6	6.6	6		11	6	
S45C)	10	10	30	M4	4.5	3.75		10	5	0.0
FAP01	13	12	34	M5	5.5	4.5		11		0.6
FAP02		15	35	M6	6.6	6				
		10	34	M4	4.5	3.75	1.5	11.5	6	
SUS304)	15	12	35	M5	5.5	4.5	1.5	12		
FAP06		15	40	M6	6.6	6		13	8	
		10	35	M5	5.5	4.5		12	6	
	16	12	35	WI3	5.5	4.5		12	0	
		15		M6	6.6	6		13	8	
		10	40	M5	5.5	4.5	1	14	7	
	18	12		WI5	5.5	4.5		14	/	
		15	45	M6	6.6	6		15	8	
		10	40			4.5				
	20	12	40	M5	5.5	4.5		14	7	
		15	45	M6	6.6	6		15	8	
		12	45	M5	5.5	4.5		17	7	
	25	15	50	WIG	0.0	4.0	6	18	1	
		20		M6	6.6	6	B)			
		15	- 55	MIG	0.0	0		20	10	
	30	20	60	M8	9	7		23		1
		20	00	1010	9			25		
	lumber	В	н	М	d	R	W	x	Y	С
Code	D	_			-					
(A2017) FAP21 FAP22 FAP23	6	8	20	М3	3.4	3	痘 1	6	4	
	8	•	25	INI5	5.4	5		8		
	10					AL AL		9	-	
	12		30	144	1 5	2 75		10	5	
	13			M4	4.5	3.75	1.5	10		0.5
	15	10	34					11.5	0	
	16		35					12	6	
	20		40	M5	5.5	4.5		14		
	25	12	40	IVIS	DEPU.J	4.5		17	7	
	30	12	55	M6	6.6	6		20	10	1
	30	10	55	IVIO	0.0	0		20	10	







