Column Type >

Gooseneck LED Lights


Code	Туре	Mounting Method
ZHE40	Caluman Tuna	Magnetic Seat
ZHE41	Column Type	Panel




- Waterproof, oil-proof, corrosion-proof and explosion-proof;
- Uniform light distribution, strong color rendering and good lighting effects;
- Easy installation and low maintenance rate;
- High-quality chip of LED light imported from the United States, with low power consumption, high efficiency and long life;
- AC/DC high-quality electronic driver, with low power consumption, protection circuit function, and long life;
- High-quality aluminum, and transparent tempered glass with good heat dissipation;
- High-quality metal aluminum substrate, silicone rubber sealing ring, reflective cup or lens;
- There is a switch on the back of the lamp head, which can be turned ON/OFF.

Application Scenarios

• CNC machine, combined machine, machining centers and other lighting scenarios.





Part Numb	er	Voltage	Power Rod Height	Color Temperature	Luminous Flux(Lm)	
Code	Specification	voltage	(W)	(mm)	Color remperature	Lullillous Flux(Lill)
Magnetic Seat Panel	24	AC/DC24V	NE 3	500	6000K~6500K	300
ZHE40 ZHE41	220	AC220V	10.	300	True White	300



	Part Number		\	
	Code	Specification	Voltage	
ZHE40	24	AC/DC24V		
	220	AC220V		
			7102207	

ZHE40-24



IP Rating	IP65
Working Temperature	-40~40°C
Beam Angle	60°
Color Rendering Index	>80



The first perspective

